EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S152	1	OAM WITH (time NEAR2 stamp) MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 14:21
S150	15	OAM WITH (time NEAR2 stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 14:21
S151	15	OAM WITH (time NEAR2 stamp)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/03 14:19
S149	15	S148 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 14:19
S148	85	S140 SAME (performance NEAR3 monitor$3)	US-PGPUB	OR	ON	2006/04/03 11:29
S147	8	S146 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 11:29
S146	38	S145 AND (performance NEAR3 monitor$3)	US-PGPUB	OR	ON	2006/04/03 11:29
S145	63	S140 SAME MPLS	US-PGPUB	OR	ON	2006/04/03 11:25
S144	12	S143 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 11:25
S141	39	S140 SAME performance SAME MPLS	US-PGPUB	OR	ON	2006/04/03 11:25
S143	53	S140 SAME performance AND MPLS	US-PGPUB	OR	ON	2006/04/03 11:23
S142	8	S141 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 11:23
S140	723	(operation ADJ "and" ADJ maintenance) OR OAM	US-PGPUB	OR	ON	2006/04/03 11:22
S10	21792164	@ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 11:22

S13 9	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP AND MPLS AND label$3 AND (ingress AND egress) NEAR2 LER$1 AND (PDU OR DTU OR message OR packet OR cell) AND rout$3	US-PGPUB	OR	ON	2006/04/03 11:21
S13 8	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP AND MPLS AND label$3 AND (ingress AND egress) NEAR2 LER$1 AND (PDU OR DTU OR message OR packet OR cell)	US-PGPUB	OR	ON	2006/04/03 09:14
S13 7	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP AND MPLS AND label$3 AND (ingress AND egress) NEAR2 LER$1	US-PGPUB	OR	ON	2006/04/03 09:12
S13 6	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP AND MPLS AND label$3 AND ingress AND egress	US-PGPUB	OR	ON	2006/04/03 09:12
S13 5	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP AND MPLS AND label$3	US-PGPUB	OR	ON	2006/04/03 09:11
S13 4	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP AND MPLS	US-PGPUB	OR	ON	2006/04/03 09:10
S13 2	1	(US-20030063613-$).did. AND segment$3 NEAR2 LSP	US-PGPUB	OR	ON	2006/04/03 09:10
S12 7	1	(US-20030063613-$).did.	US-PGPUB	OR	ON	2006/04/03 09:09
S12 6	14	Mark.in. AND S125	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 08:30
S12 5	133	(tropic NEAR networks).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 08:30
S12 4	5	S123 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/03 08:29
S12 3	20	S122 AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/03 08:16
S12 2	42	(segment$3 OR divid$5 Or partition$5 OR sub$1divid$3) NEAR LSP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/03 08:16

S40	30	(segment$3 OR divid$5 Or partition$5 OR sub$1divid$3) NEAR5 (LSP OR rout$4 OR path OR sub$1path) AND S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/04/03 08:15
S12 1	21	(US-20010033574-$ or US-20030063613-$ or US-20030088699-$ or US-20020143849-$ or US-20020071390-$ or US-20030117950-$ or US-20020083174-$ or US-20030112760-$).did. or (US-6947428-$ or US-6904018-$ or US-6735190-$ or US-6731639-$ or US-7012933-$ or US-6813242-$ or US-6665273-$ or US-6408001-$ or US-6721269-$ or US-6341127-$ or US-6683874-$ or US-6973504-$ or US-6985447-$).did.	US-PGPUB; USPAT	OR	ON	2006/04/02 18:56
S12 0	4	S119 AND label$4 AND bind$3 AND (DTU OR message OR packet OR cell OR message)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:40
S11 9	29	(US-20040258073-$ or US-20020060985-$ or US-20010033574-$ or US-20030063613-$ or US-20030088699-$ or US-20020143849-$ or US-20020071390-$ or US-20030117950-$ or US-20020083174-$ or US-20030112760-$).did. or (US-6947428-$ or US-6977932-$ or US-6950398-$ or US-6904018-$ or US-6735190-$ or US-6731639-$ or US-7012933-$ or US-6813242-$ or US-6665273-$ or US-6408001-$ or US-6885677-$ or US-6721269-$ or US-6341127-$ or US-6501756-$ or US-6683874-$ or US-6973504-$ or US-6985447-$ or US-6049530-$).did. or (WO-200201909-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/02 17:39
S11 8	12	S117 AND (performance WITh monitor$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/02 17:32
S11 7	33	S116 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/02 17:32

S11 6	98	(OAM SAME MPLS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:32
S11 4	14	(OAM AND MPLS) AND S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:32
S11 3	9	(OAM SAME MPLS) AND S112	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:32
S11 5	5	S114 NOT S113	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:31
S11 2	6060	((370/236.2,241.1,242,244) or (709/224)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/02 17:27
S11 1	6	("20010026549"|"20030053463"|" 6574224").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:12
S11 0	4	("6049530"|"6885677").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/02 17:12
S10 9	2	(CHEN NEAR MICHAEL).in. AND (cisco).as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 11:05
S10 6	293	(CHEN NEAR MICHAEL).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/31 10:48
S10 5	7	S101 AND S102 AND label$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 19:06
S10 4	7	S101 AND S102	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 19:05

S10 2	157	(PDU OR DTU OR message OR packet OR content) MPLS ingress egress router LDP LSP rout$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 19:03
S10 1	28	(US-20040258073-$ or US-20020060985-$ or US-20010033574-$ or US-20030088699-$ or US-20020143849-$ or US-20020071390-$ or US-20030117950-$ or US-20030063613-$ or US-20020083174-$).did. or (US-6977932-$ or US-6950398-$ or US-6947428-$ or US-6904018-$ or US-6813242-$ or US-6735190-$ or US-6731639-$ or US-6408001-$ or US-6665273-$ or US-7012933-$ or US-6885677-$ or US-6721269-$ or US-6341127-$ or US-6501756-$ or US-6973504-$ or US-6683874-$ or US-6985447-$). did. or (KR-2000020247-$ or WO-200201909-$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/03/30 19:01
S86	239	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment OR PDU OR DTU OR path OR LSP) MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/30 18:02
S98	3	S97 SAME MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 16:10
S97	73	label$4 partial (path OR LSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/30 16:10
S96	2	label$4 partial (path OR LSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/03/30 16:09
S95	2	(Segment$4 NEAR LSP).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:31
S94	0	(Segment$4 NEAR LSP).ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:31

S93	25	S92 AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:30
S92	84	LSP.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:30
S5	4	S4 AND segment$3 NEAR3 (path OR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 13:27
S91	17	S87 AND @ad<"20011231" AND MPLS AND egress AND ingress	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:26
S90	31	S87 AND @ad<"20011231" AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:15
S88	31	S87 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:14
S87	95	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment OR PDU OR DTU OR path OR LSP) MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/30 13:12
S85	4	S83 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:12
S82	25	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment OR PDU OR DTU) MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/30 13:12
S81	35	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment OR PDU OR DTU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/30 13:11
S84	2	S82 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:10

EAST Search History

S83	29	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment OR PDU OR DTU) AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/30 13:10
S80	9	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment OR PDU OR DTU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/30 13:09
S79	7	LDP (assign$4 OR label$4 OR bind$3) (sub$1path OR segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/30 13:07
S78	7	LDP (assign$4 OR label$4) (sub$1path OR segment)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/30 13:06
S76	9	S74 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/30 13:03
S74	26	S73 AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:42
S75	11	S73 SAME MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:40
S73	38	segment$3 NEAR2 LSP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:40
S72	22	S71 AND LSR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:39
S71	41	S69 SAME label$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:34
S70	12	S69 SAME router SAME label$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:34

S69	57	MPLS SAME (segment$3 OR divid$3 OR split$4 OR partial) NEAR2 (LSP OR path OR sub$1path OR (label ADJ switched ADJ path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:31
S68	13	S67 AND (segment$3 OR divid$3 OR split$4 OR partial) NEAR2 (LSP OR path OR sub$1path OR (label ADJ switched ADJ path))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/30 10:31
S67	19	(US-20040258073-$ or US-20020060985-$ or US-20010033574-$ or US-20030088699-$ or US-20020143849-$ or US-20020071390-$).did. or (US-6977932-$ or US-6950398-$ or US-6947428-$ or US-6904018-$ or US-6813242-$ or US-6735190-$ or US-6731639-$ or US-6408001-$ or US-6665273-$ or US-7012933-$ or US-6885677-$ or US-6721269-$ or US-6341127-$).did.	US-PGPUB; USPAT	OR	ON	2006/03/30 10:14
S66	6	S65 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/29 18:15
S65	17	label$4 (parial OR segment$3) (path OR sub$1path) LSP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/29 18:15
S64	13	S63 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/29 18:15
S63	33	(segment$3 OR divid$5 Or partition$5 OR sub$1divid$3) NEAR5 (LSP OR rout$4 OR path OR sub$1path) AND S60 AND label$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/29 16:51
S62	33	(segment$3 OR divid$5 Or partition$5 OR sub$1divid$3) NEAR5 (LSP OR rout$4 OR path OR sub$1path) AND S60	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:40
S60	88	MPLS ingress egress router LSP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/29 16:38

S59	12	("5307342" | "5835482" | "5881243" | "5959972" | "6047331" | "6111673" | "6272107" | "6311288" | "6324162").PN. OR ("6721269"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/03/29 16:36
S58	9	(ingress AND egress) NEAR2 LSR NEAR2 router	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 16:19
S53	30	S51 AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:04
S52	11	S51 SAME MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 11:04
S51	64	(divid$3 OR segment$3) NEAR2 LSP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:59
S50	0	S48 AND DTU	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:58
S49	0	S48 AND MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/29 10:37
S48	2	("6049530").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/29 10:36
S45	200040	(segment$3 OR divid$5 Or partition$5 OR sub$1divid$3) SAME (LSP OR rout$4 OR path OR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 18:13
S47	2	S44 NOT S46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 18:02
S44	25	OAM SAME LSR$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 18:02

EAST Search History

S46	23	S44 AND S45	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:59
S43	1	OAM WITH LSR$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:58
S42	0	OAM NEAR2 LSR$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:57
S41	0	OAM NEAR2 capable NEAR3 LSR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:57
S36	122	segment$3 MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:43
S39	43	S36 AND S38	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:39
S38	22505	(associat$3 OR correspond$3 OR assig$6) NEAR5 label	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 17:39
S37	60	S36 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/28 17:37
S35	18	segment$3 LSP MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:37
S31	2	S29 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/28 17:37
S29	18	segment$3 LSP MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 17:37

S34	6	OAM AND S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 16:43
S33	41	segment$3 LSP MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/28 16:37
S30	4	OAM AND S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 16:37
S32	2	S29 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:36
S28	0	(AZAD NEAR2 MINA).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:34
S27	1	DTU MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/28 16:31
S26	0	OAM DTU MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/28 16:26
S25	0	OAM SAME DTU SAME MPLS	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/28 16:25
S24	2	((multi$1protocol ADJ label ADJ switch$3) OR MPLS) AND S23	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 20:40
S23	16	(segment$3 NEAR2 sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:58
S22	11	(segment$3 NEAR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:58

4/3/06 3:44:27 PM
C:\Documents and Settings\YGerezgiher\My Documents\EAST\Workspaces\10032014 [LABEL SWITCHED PATH OAM V

Page 11

EAST Search History

S19	0	((multi$1protocol ADJ label ADJ switch$3) OR MPLS) AND (LSP AND LSR AND segment$3 AND path).ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:58
S21	1	((multi$1protocol ADJ label ADJ switch$3) OR MPLS) AND (segment$3 NEAR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:57
S20	0	((multi$1protocol ADJ label ADJ switch$3) OR MPLS) AND (LSP AND LSR AND segment$3 NEAR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:56
S17	19	((multi$1protocol ADJ label ADJ switch$3) OR MPLS) AND (LSP AND LSR AND segment$3 AND path).bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:55
S18	3	S15 AND @ad<"20011231"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/23 19:54
S15	24	((multi$1protocol ADJ label ADJ switch$3) OR MPLS).TI. AND (LSP AND LSR AND segment$3 AND path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:54
S16	5	S13 AND S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:52
S14	6	((multi$1protocol ADJ label ADJ switch$3) OR MPLS).TI. AND (LSP AND LSR AND segment$3 AND path).bsum.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:52
S2	560	((multi$1protocol ADJ label ADJ switch$3) OR MPLS).TI.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:50
S13	4501	(370/395.5,395.52,392).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/23 19:49
S12	9	S2 AND S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:44

EAST Search History

S7	9066	segment$3 NEAR2 (path OR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:43
S11	15	S9 AND S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:32
S9	20	S6 S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/23 19:31
S8	1	S2 S6 S7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/03/23 19:31
S6	21	label$4 NEAR2 segment$3 NEAR (path OR sub$1path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/23 19:30
S1	26	segment$3 ("LABEL SWITCHED PATH" OR LSP) LSR	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2006/03/23 19:28
S4	5	(US-20010033574-$).did. or (US-6977932-$ or US-6950398-$ or US-6947428-$ or US-6904018-$).did.	US-PGPUB; USPAT	OR	ON	2006/03/23 19:05
S3	2	determin$3 (sub$1path OR path) segment$3 (LSP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	WITH	ON	2006/03/23 19:04